



Aluminium Glass Railing

www.startrail.in

Strength You Trust,
Style You **Deserve**



Strategic Vision. Uncompromising Quality.

From concept to execution, our vision, mission, and values drive the standards we set and the partnerships we build.

Our Vision

Redefining Modern Spaces with Superior Railing Systems

To establish industry leadership in architectural aluminium railings by blending sophisticated design, robust safety standards, and timeless durability.

Where Safety Meets Style.

Our Mission

Engineering Superior Railing Solutions,
Hand in Hand

To craft premium aluminium railing systems that simplify fabrication and setup, offering architects, builders, and clients complete freedom in style, finish, and structural application.

Values

We engineer functional railing solutions built for superior strength, lasting endurance, and dependable performance.

Uncompromising Quality

We maintain rigorous quality standards, exact precision, and high performance across all products and workflows.

Purposeful Innovation

We believe design extends beyond visual appeal—it must enhance functionality, ensure safety, and elevate the built environment.



Engineered for Strength. Crafted for Style.

Built with enduring structural integrity, supported by flexible designs and high-end surface finishes for railing systems that deliver long-lasting beauty and performance.

Durability

Built for Uncompromising Longevity


Engineered aluminium systems crafted to resist daily wear, harsh atmospheric elements, and the evolving demands of modern construction. Designed with structural precision and high-grade resilience, our railing solutions retain their original aesthetic finish and physical strength for decades.

Strength That Endures.

Design & Finish

Aesthetics Powered by Protection

Whether you prefer sleek anodized textures, resilient powder coating, or rich wood-grain textures, select a surface treatment that complements your architecture while safeguarding against the elements.





Company Profile

RADHE KRISHNA INDUSTRIES is a premier manufacturer, trader, exporter, and supplier of high-grade railing systems and architectural aluminium Solutions. For over a decade, we have proudly served government agencies, public sector undertakings, semi-government organizations, and private enterprises with reliable products at competitive prices.

Our Product Offerings & Finishes

We offer a comprehensive selection of aluminium railings, hardware fitting accessories, and specialized railing components. To suit every architectural style, our high-grade products are available in a variety of surface treatments, Wooden Finishes Silver & Champagne Anodized Finishes Custom Powder Coatings in a wide range of colors.

Engineering & Design Distinction

Engineered for rapid, hassle-free assembly, our railing systems deliver professional grade results without Compromising on structural safety or style. Featuring sleek, frameless designs with no vertical supports, our systems provide unobstructed, panoramic views while undergoing rigorous safety testing for total peace of mind.

Our Commitment

We provide versatile product options tailored to fit every project budget, constantly innovating to meet the evolving needs of our clients. Above all, **RADHE KRISHNA INDUSTRIES** is dedicated to cultivating long-lasting partnerships with dealers, architects, interior designers, and valued clients.

WE ARE DEALING IN

- Aluminium Railing Profiles (Exclusion)
- Aluminium Bracket (Exclusion)
- Aluminium Railing Accessories (Casting)
- EPDM Rubber Grip & Wedgies Fixer
- Glass Railing Solutions

WE ARE WORKING IN ALL INDIA

- Distributor or Dealer Network
- Wholesale Stockist (MOQ) Working
- Project Work (Commercial & Residential)
- Project Work (Builder & Architect)



PAGE

06 - 14	Continue Step Bracket System
15 - 61	Continue Railing System
62 - 69	Bracket System
70 - 92	Continue Pipe System
93	Wall to Pipe Connector
94	Plain Pipe



Uninterrupted Support, Uncompromised Safety

Continuous base step bracket and cover designed to provide total structural security and clear, seamless sight lines for modern glass railings.




Seamless
Modern Design



Continues
Support & Safety



Premium Powder
Coated Finish



Architecture **Step Bracket & Cover** System






Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Step Bracket & Cover System



Step Bracket & Cover - SRB 01



Material : Aluminium Alloy 6036-T6
 Length : Step Bracket - 65 mm
 Length : Step Cover - 13 ft. / 16 ft.
 Weight : Step Bracket - 0.460 gm. Approx
 Weight : Step Cover - 0.200/0.220 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Step Bracket & Cover System



Square Bracket & Cover - SRB 02



Material : Aluminium Alloy 6063-T6
Length : Square Bracket - 65 mm
Length : Square Cover - 13 ft. / 16 ft.
Weight : Square Bracket - 0.250 gm. Approx
Weight : Square Cover - 0.180 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Step Bracket & Cover System



New Step Bracket & Cover - SRB 03



Material : Aluminium Alloy 6063-T6
 Length : Step Bracket - 65 mm
 Length : Step Cover - 13 ft. / 16 ft.
 Weight : Heavy Bracket - 0.240 gm. Approx
 Weight : Heavy Cover - 0.180/0.200 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Step Bracket & Cover System



New Step Bracket & Cover - SRB 04



Material : Aluminium Alloy 6063-T6
 Length : Heavy Bracket - 65 mm
 Length : Heavy Cover - 13 ft. / 16 ft.
 Weight : Heavy Bracket - 0.240 gm. Approx
 Weight : Heavy Cover - 0.170/0.190 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Step Bracket & Cover System



Heavy Round Bracket & Cover - SRB 05



Material : Aluminium Alloy 6063-T6
 Length : Round Bracket - 65 mm
 Length : Round Cover - 13 ft. / 16 ft.
 Weight : Round Bracket - 0.480 gm. Approx
 Weight : Round Cover - 0.220/0.240 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Step Bracket & Cover System



Heavy Square Bracket & Cover - SRB 06



Material : Aluminium Alloy 6063-T6
Length : Heavy Square Bracket - 65 mm
Length : Heavy Square Cover - 13 ft. / 16 ft.
Weight : Square Bracket - 0.480 gm. Approx
Weight : Square Cover - 0.200/0.220 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized



Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Step Bracket & Cover System



Step Bracket & Cover - SRB 07



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : Bracket 0.340 gm. Approx
Weight : Cover - 0.160/0.190 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized



Uninterrupted Support, Uncompromised Safety

Continuous base aluminium profiles designed to provide total structural security and clear, seamless sight lines for modern glass railings.




Seamless
Modern Design



Continues
Support & Safety



Premium Powder
Coated Finish



Architecture **Continues Profile** System

 **MADE IN
INDIA**




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Regular Feri - SRB 01



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 0.780/0.800 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Commercial Feri - SRB 02



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 0.500/0.530 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Modular Feri - SRB 03



Material : Aluminium Alloy 6063-T6
 Length : 13 ft. / 16 ft.
 Weight : 0.580/0.630 gm. Approx
 Weight : Epdm (0.120 gm. - 1Ft.)
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Continues Profile System



Triangle Feri - SRB 04



Material : Aluminium Alloy 6063-T6
 Length : 13 ft. / 16 ft.
 Weight : 0.600/0.640 gm. Approx
 Weight : Epdm (0.110 gm. - 1Ft.)
 Finish : Natural, Powder Coating, Wood Coating, Anodized





Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Step Feri - SRB 05



Material : Aluminium Alloy 6063-T6
 Length : 13 ft. / 16 ft.
 Weight : 0.580/0.600 gm. Approx
 Weight : Epdm (0.110 gm. - 1Ft.)
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Clip Feri - SRB 06



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 0.850/0.900 gm. Approx
Weight : Epdm (0.020 gm. - 1ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



30 X 40 Continues Channel - SRB 07



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 0.400/0.440 gm. Approx
Weight : Epdm (0.060 gm. - 1Ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



55 X 36 Continues Channel - SRB 08



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 0.900/0.930 gm. Approx
Weight : Epdm (0.120 gm. - 1Ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Continues Profile System



60 X 34 Continues Channel - SRB 09



Material : Aluminium Alloy 6063-T6
 Length : 13 ft. / 16 ft.
 Weight : 0.650/0.680 gm. Approx
 Weight : Epdm (0.120 gm. - 1Ft.)
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Continues Profile System



100 x 45 Continues Channel - SRB 10



Material : Aluminium Alloy 6063-T6
 Length : 13 ft. / 16 ft.
 Weight : 1.290/1.330 gm. Approx
 Weight : Epdm (0.110 gm. - 1 ft.)
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



117 x 46 Continues Channel - SRB 11




Material : Aluminium Alloy 6063-T6
Length : 12 ft.
Weight : 1.670/1.700 gm. Approx
Weight : Epdm (0.110 gm. - 1 ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



125 x 70 Continues Channel - SRB 12



Material : Aluminium Alloy 6063-T6
Length : 12 ft.
Weight : 1.700/1.730 gm. Approx
Weight : Epdm (0.150 gm. - 1 ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



120 x 60 Continues Channel - SRB 13



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 1.520/1.550 gm. Approx
Weight : Epdm (0.110 gm. - 1 ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Continues Profile System



Modular Step Bracket & Cover - SRB 14



Material : Aluminium Alloy 6063-T6
 Length : 12 ft.
 Weight : Continues Profile - 1.430/1.480 gm. Approx
 Weight : Epdm (0.060 gm. - 1 ft.)
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



90 x 50 Continues Channel - SRB 15



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 0.900/0.950 gm. Approx
Weight : Epdm (0.120 gm.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Side Mounted Profile - SRB 16



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 1.850/1.880 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



140 x 90 Heavy Bottom - SRB 17



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 2.500/2.800 gm. Approx
Weight : Epdm (0.150 gm. - 1Ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



50 x 90 LED Bottom Channel - SRB 18



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 0.900/0.950 gm. Approx
Weight : Epdm (0.120 gm. - 1 ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Small Step Bottom Channel - SRB 19



Material : Aluminium Alloy 6063-T6
 Length : 13 ft. / 16 ft.
 Weight : 0.940/0.970 gm. Approx
 Weight : Epdm (0.120 gm. - 1 ft.)
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



123 x 75 Step Bottom Channel - SRB 20



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 1.700/1.800 gm. Approx
Weight : Epdm (0.140 gm. - 1 ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Side Heavy Bottom Channel - SRB 21



Material : Aluminium Alloy 6063-T6
Length : 13 ft. / 16 ft.
Weight : 1.900/1.980 gm. Approx
Weight : Epdm (0.140 gm. - 1 ft.)
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



80 x 37 Continues Channel - SRB 22



Material : Aluminium Alloy 6036-T6
Length : Step Cover - 13 ft. / 16 ft.
Weight : Step Bracket - 0.900/0.990 gm. Approx
Weight : EPDM - 0.120 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



90 x 65 Center LED Bottom Channel - SRB 23



Material : Aluminium Alloy 6063-T6
Length : Square Cover - 13 ft. / 16 ft.
Weight : 1.450/1.500 gm. Approx
Weight : EPDM - 0.140 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



V - Channel - SRB 24



Material : Aluminium Alloy 6036-T6
Length : Step Cover - 13 ft. / 16 ft.
Weight : 1.160/1.200 gm. Approx
Weight : EPDM - 0.120 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Round Square Feri Channel - SRB 25



Material : Aluminium Alloy 6063-T6
Length : Square Cover - 13 ft. / 16 ft.
Weight : 0.720/0.760 gm. Approx
Weight : EPDM - 0.120 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



Heavy Modular Ferri Channel - SRB 26




Material : Aluminium Alloy 6036-T6
Length : Channel 13 ft. / 16 ft.
Weight : 0.590/0.640 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized





Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



New Bottom Channel - SRB 27



Material : Aluminium Alloy 6063-T6
Length : Channel - 13 ft. / 16 ft.
Weight : 1.060/1.150 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



100 x 37 mm Bottom Channel - SRB 28



Material : Aluminium Alloy 6036-T6
Length : Channel - 13 ft. / 16 ft.
Weight : 1.100/1.200 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



100 x 60 mm Bottom Channel - SRB 29



Material : Aluminium Alloy 6063-T6
Length : Channel 13 ft. / 16 ft.
Weight : 1.200/1.300 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



90 x 65 mm Bottom Channel - SRB 30



Material : Aluminium Alloy 6036-T6
 Length : Channel - 13 ft. / 16 ft.
 Weight : 1.100 gm. Approx
 Weight : EPDM - 0.130 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



111 x 60 mm Bottom Channel - SRB 31



Material : Aluminium Alloy 6063-T6
Length : Channel 13 ft. / 16 ft.
Weight : 1.200 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized



Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Continues Profile System




150 x 60 mm Side Mounted Channel - SRB 32



NON LED

LED



Material : Aluminium Alloy 6036-T6
 Length : Channel - 13 ft. / 16 ft.
 Weight : 0.360 gm. Approx (Non LED)
 Weight : 0.420 gm. Approx (LED)
 Weight : EPDM - 0.130 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



80 x 70 mm Ground Mounted Channel - SRB 33



Material : Aluminium Alloy 6063-T6
 Length : Channel 13 ft. / 16 ft.
 Weight : 0.400 gm. Approx
 Weight : EPDM - 0.130 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



110 x 81 mm Bottom Channel - SRB 34



Material : Aluminium Alloy 6036-T6
Length : Channel - 13 ft. / 16 ft.
Weight : 1.100/1.200 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



125 x 60 mm Bottom Channel - SRB 35



Material : Aluminium Alloy 6063-T6
 Length : Channel 13 ft. / 16 ft.
 Weight : 1.200 gm. Approx
 Weight : EPDM - 0.130 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



80 x 40 mm Bottom Channel - SRB 36



Material : Aluminium Alloy 6036-T6
Length : Channel - 13 ft. / 16 ft.
Weight : 0.900/0.950 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



82 x 65 mm Bottom Channel - SRB 37



Material : Aluminium Alloy 6063-T6
Length : Channel 13 ft. / 16 ft.
Weight : 0.900 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



100 x 60 mm Bottom Channel - SRB 38



Material : Aluminium Alloy 6036-T6
 Length : Channel - 13 ft. / 16 ft.
 Weight : 1.300/1.400 gm. Approx
 Weight : EPDM - 0.130 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



58 x 32 mm Bottom Channel - SRB 39



Material : Aluminium Alloy 6063-T6
Length : Channel 13 ft. / 16 ft.
Weight : 0.650/0.700 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



78 x 50 mm Bottom Channel - SRB 40



Material : Aluminium Alloy 6036-T6
Length : Channel - 13 ft. / 16 ft.
Weight : 0.900 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



50 x 60 mm Bottom Channel - SRB 41



Material : Aluminium Alloy 6063-T6
Length : Channel 13 ft. / 16 ft.
Weight : 1.200 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized





Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



90 x 80 Bottom Channel - SRB 42



Material : Aluminium Alloy 6063-T6
Length : Channel 13 ft. / 16 ft.
Weight : 1.000/1.100 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



102 x 67 mm Bottom Channel - SRB 43



Material : Aluminium Alloy 6036-T6
Length : Channel - 13 ft. / 16 ft.
Weight : Cover 0.220 gm. Approx
Weight : Bracket 0.460 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



110 x 81 mm Two Side LED Bottom Channel - SRB 44



Material : Aluminium Alloy 6063-T6
Length : Channel 13 ft. / 16 ft.
Weight : 1.100/1.200 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



110 x 81 mm Top & Side LED Bottom Channel - SRB 45



- Material : Aluminium Alloy 6036-T6
- Length : Channel - 13 ft. / 16 ft.
- Weight : 1.100/1.200 gm. Approx
- Weight : EPDM - 0.130 gm. Approx
- Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



110x 81 mm Top LED Bottom Channel - SRB 46



Material : Aluminium Alloy 6063-T6
Length : Channel 13 ft. / 16 ft.
Weight : 1.100/1.200 gm. Approx
Weight : EPDM - 0.130 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Continues Profile** System



90 x 50 Continues Channel - SRB 47



Material : Aluminium Alloy 6063-T6
 Length : 13 ft. / 16 ft.
 Weight : 0.900/0.950 gm. Approx
 Weight : Epdm (0.120 gm.)
 Finish : Natural, Powder Coating, Wood Coating, Anodized



Uninterrupted Support, Uncompromised Safety

Continuous base aluminium brackets designed to provide total structural security and clear, seamless sight lines for modern glass railings.




Seamless
Modern Design



Continues
Support & Safety



Premium Powder
Coated Finish



Architecture **Step Bracket & Cover** System

 **MADE IN
INDIA**




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Bracket & Cover System



T - Bracket - SRBR 01



Material : Aluminium Alloy 6063-T6
 Length : Bracket 65 mm
 Weight : 0.440 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Bracket & Cover System



Tower Bracket - SRBR 02



Material : Aluminium Alloy 6063-T6
Length : Bracket 50 mm
Weight : 0.380 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Bracket & Cover System



V - Bracket - SRBR 03



Material : Aluminium Alloy 6063-T6
Length : Bracket 50 mm
Weight : 0.420 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Bracket & Cover System



V - Bracket (Wedges) - SRBR 04




Material : Aluminium Alloy 6063-T6
Length : Bracket 50 mm
Weight : 0.440 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Bracket & Cover System



Radius Bracket - SRBR 05



Material : Aluminium Alloy 6063-T6
 Length : Bracket 50 mm
 Weight : 0.480 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Bracket & Cover System



65 mm Bracket - SRB 06



Material : Aluminium Alloy 6063-T6
Length : Bracket 65 mm
Weight : 0.680 gm. Approx
Finish : Natural, Powder Coating, Wood Coating, Anodized





Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture Bracket & Cover System



75 mm Bracket - SRB 07



Material : Aluminium Alloy 6063-T6
 Length : Bracket 75 mm
 Weight : 0.220 gm. Approx
 Finish : Natural, Powder Coating, Wood Coating, Anodized



Solid Support, Refined Style

Streamlined aluminium handrails crafted to deliver structural strength, everyday comfort, and exceptional visual appeal.




Seamless
Modern Design



Continues
Support & Safety



Premium Powder
Coated Finish



Architecture **Handrail** System

 **MADE IN
INDIA**




Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System



38 mm Round - SRT 01

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.190 gm. + 10% Variation
EPDM : 0.055 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




Modular Band	Fix Band	Connector	Wall Canceled	End Cap

50 mm Round - SRT 02

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.290 gm. + 10% Variation
EPDM : 0.085 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band	Modular Band






Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



65 mm Round - SRT 03


Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.460 gm. + 10% Variation
EPDM : 0.110 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




Modular Band	Fix Band	Connector	Wall Canceled	End Cap

32 X 32 mm Top - SRT 04

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.180 gm. + 10% Variation
EPDM : 0.080 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band	Modular Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



40 X 40 mm Top - SRT 05

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.360 gm. + 10% Variation
 EPDM : 0.95 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Modular Band	Fix Band	Connector	Wall Canceled	End Cap

50 X 50 mm Top - SRT 06

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.370 gm. + 10% Variation
 EPDM : 0.110 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band	Modular Band






Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System



38 X 38 mm Star Pipe - SRT 07

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.240 gm. + 10% Variation
EPDM : 0.85 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




Modular Band	Fix Band	Connector	Wall Canceled	End Cap

45 X 45 mm Star Pipe - SRT 08

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.260 gm. + 10% Variation
EPDM : 0.085 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band	Modular Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



38 X 38 mm Radius - SRT 09

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.230 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Modular Band	Fix Band	Connector	Wall Canceled	End Cap

45 X 45 mm Radius Pipe - SRT 10

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.270 gm. + 10% Variation
 EPDM : 0.090 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band	Modular Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



Slim Pipe 17 X 19 mm - SRT 11

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.110 gm. + 10% Variation
Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

25 X 25 mm Top - SRT 12

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.190 gm. + 10% Variation
EPDM : 0.055 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band






Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System



60 X 40 mm Rectangle Top - SRT 13

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.390 gm. + 10% Variation
EPDM : 0.120 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

Rightangle Top - SRT 14

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.440 gm. + 10% Variation
EPDM : 0.110 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



Incline 80 X 37 mm - SRT 15

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.340 gm. + 10% Variation
 EPDM : 0.070 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

Incline LED - SRT 16

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.400 gm. + 10% Variation
 EPDM : 0.070 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



capcule 35 X 70 mm - SRT 17

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.350 gm. + 10% Variation
 EPDM : 0.070 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

65 X 40 mm Triangle - SRT 18

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.330 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System




35 X 40 mm Commercial - SRT 19

Material : Aluminium Alloy 6063 - T6

Length : 13 ft. / 16 ft.

Weight : 0.250 gm. + 10% Variation

Finish : Natural, Powder Coating, Wood Coating, Anodized



Fix Band	Connector	Wall Canceled	End Cap

50 X 50 mm LED Pipe - SRT 20

Material : Aluminium Alloy 6063 - T6

Length : 13 ft. / 16 ft.


Weight : 0.420 gm. + 10% Variation

EPDM : 0.100 gm.

Finish : Natural, Powder Coating, Wood Coating, Anodized




End Cap	Wall Canceled	Connector	Fix Band






Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System



50 X 50 mm Side LED - SRT 21

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.400 gm. + 10% Variation
EPDM : 0.085 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

70 X 35 mm 1 Side LED - SRT 22

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.400 gm. + 10% Variation
EPDM : 0.070 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band






Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System



Sleem Pipe Top - SRT 23

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.160 gm. + 10% Variation
EPDM : 0.070 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

Sleem Side LED Top - SRT 24

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.160 gm. + 10% Variation
EPDM : 0.070 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




End Cap	Wall Canceled	Connector	Fix Band






Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System



40 X 40 mm Side LED - SRT 25

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.280 gm. + 10% Variation
EPDM : 0.085 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

55 X 30 mm Top LED - SRT 26

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.290 gm. + 10% Variation
EPDM : 0.085 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



Round Duel LED - SRT 27

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.320 gm. + 10% Variation
 EPDM : 0.070 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

45 X 45 Center LED Top - SRT 28

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.390 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



55 X 30 mm Top - SRT 29

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.290 gm. + 10% Variation
 EPDM : 0.070 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

U Pipe - SRT 30

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.430 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band






Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



Heavy Triangle Top - SRT 31

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.380 gm. + 10% Variation
 EPDM : 0.070 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

70 X 35 mm Without LED - SRT 32

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.400 gm. + 10% Variation
 EPDM : 0.110 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



70 X 30 mm 2 Side LED - SRT 33

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.380 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

70 X 35 mm Without LED - SRT 34

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.360 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



70 X 36 mm Eye Pipe - SRT 35

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.330 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

50 X 50 mm Incline - SRT 36

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.350 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band






Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System



60 X 45 mm Diamond Pipe - SRT 37

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.370 gm. + 10% Variation
EPDM : 0.110 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

55 X 30 mm Mini Oval - SRT 38

Material : Aluminium Alloy 6063 - T6
Length : 13 ft. / 16 ft.
Weight : 0.300 gm. + 10% Variation
EPDM : 0.060 gm.
Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band






Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



50 X 40 mm Pipe - SRT 39

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.250 gm. + 10% Variation
 EPDM : 0.080 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

60 X 40 mm Four Part - SRT 40

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.290 gm. + 10% Variation
 EPDM : 0.090 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



70 X 30 mm Four Part - SRT 41

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.300 gm. + 10% Variation
 EPDM : 0.090 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized




Fix Band	Connector	Wall Canceled	End Cap

65 X 38 mm Crystal Diamond - SRT 42

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.330 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



End Cap	Wall Canceled	Connector	Fix Band





Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System



Flower - SRT 43

Material : Aluminium Alloy 6063 - T6
 Length : 13 ft. / 16 ft.
 Weight : 0.350 gm. + 10% Variation
 EPDM : 0.085 gm.
 Finish : Natural, Powder Coating, Wood Coating, Anodized



Fix Band	Connector	Wall Canceled	End Cap



Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing

Architecture **Wall to Pipe Connector** System



Wall To Pipe Connector



SR WP - 1A



SR WP - 1B



SR GP - 1A



Weather proof | Easy Cleaning | Maintenance free


Aluminium Glass Railing

Architecture Handrail System




Plain Pipe

40 x 40 mm



40 X 40 mm
Weight : (Approx 0.180/0.200 gm.)
50 X 50 mm
Weight : (Approx 0.210/0.230 kg.)

50 x 50 mm



38 X 38 mm Octagon
Weight : (Approx 0.150/0.170 gm.)
45 X 45 mm Octagon
Weight : (Approx 0.190/0.290 kg.)




38 mm




38 mm
Weight : (Approx 0.130/0.150 gm.)
50 mm
Weight : (Approx 0.180/0.210 kg.)

50 mm



38 X 38 mm Radius
Weight : (Approx 0.230/0.250 gm.)
45 X 45 mm Radius
Weight : (Approx 0.270/0.290 kg.)





Weather proof | Easy Cleaning | Maintenance free

Aluminium Glass Railing Architecture Handrail System


Profile Glass Lock - 1



Profile Glass Lock - 2



Profile Glass Lock - 3



50 X 50 Cap Conceal



50 X 50 Conceal



50 mm Round Conceal




40 X 40 Cap Conceal



40 X 40 Conceal



25 X 25 Conceal



ACROSS INDIA



WORLDWIDE





CONTACT US



* We reserve the rights to change the specification and designs due to continues innovations and developments.

- 📍 Plot no. : 115, Street no 2,
K.P. Industry Area,
Kothariya ring road, Rajkot
(Guj.) India. 360003
- ☎ +91 98256 19766 | +91 97370 62701
- ✉ radhekrishnaindustries27@gmail.com
- 🌐 www.starrail.in